

8134-05 SHOWTIME PROLIFIC EWE

M E D I C A T E D

For the prevention of coccidiosis in young sheep caused by *Eimeria bakuensis*, *Eimeria crandallis*, *Eimeria ovinoidalis* and *Eimeria parva*.

For the prevention of the development of house flies and stable flies in the manure of sheep.

ACTIVE DRUG INGREDIENTS

Decoquinatate 9.10 mg/lb
Diflubenzuron 7.30 mg/lb

Guaranteed Analysis			Ingredients
Crude Protein	Mi	10.50 %	Corn/Barley Screenings, Wheat Millrun, Canola Pellets, Cane Molasses, Corn Mill By-Product, Corn Distillers Dried Grains with Solubles, Ground Limestone, Ground Corn, Calcium Salts of Long-Chain Fatty Acids, Salt, Magnesium Oxide, Sodium Aluminosilicate, Active Dried Yeast, Yeast Extract, Sodium Sulfite, Natural and Artificial Flavors, Vegetable Oil, Propylene Glycol, Magnesium Chloride, Sodium Bisulfite, Potassium Bisulfite, Rice Bran, Vitamin E Supplement, Zinc Methionine Complex, Mineral Oil, Sodium Sulfate, Zinc Hydroxychloride, Propionibacterium Freudenreichii, Dried Bacillus Subtilis Fermentation Product, Lactobacillus acidophilus, Silicon Dioxide, Ferrous Sulfate, Manganese Hydroxychloride, DL-Methionine Hydroxy Analogue, Potassium Sulfate, Cobalt Glucoheptonate, Zinc Amino Acid Complex, Dried Bacillus licheniformis Fermentation Product, Soybean Oil, Sodium Bentonite, Sodium Molybdate Dihydrate, Soybean Lecithin, Butyric Acid, Calcium Hydroxide, Calcium Oxide, Vitamin A Supplement, Vitamin D3 Supplement, Ethylenediamine
Crude Fat	Mi	2.90 %	
Crude Fiber	Ma	4.90 %	
Ash	Ma	4.80 %	
Selenium (Se)	Mi	0.46 ppm	
Selenium (Se)	Ma	0.60 ppm	

WARNINGS:

CONTAINS SELENIUM.

"Caution: Follow label directions: Feeding added Selenium at levels in excess of 0.3 ppm in the total diet is prohibited." This feed contains 0.60 ppm of added Selenium so do not exceed 50% of this feed in the total ration.

WARNING: DO NOT FEED TO SHEEP PRODUCING MILK FOR HUMAN CONSUMPTION.

FEEDING DIRECTIONS

Feed to sheep at the rate of 2.5 pounds per one hundred pounds of live body weight daily to supply 22.7 milligrams of Decoquinatate per one hundred pounds of live body weight daily. Feed at least 28 days during periods of coccidiosis exposure or when experience indicates that coccidiosis is likely to be a hazard.

Feed to sheep at a rate of 2.5 pounds per one hundred pounds of live body weight daily to provide 18.18 mg Diflubenzuron per one hundred pounds of live body weight daily (0.40 mg/kg of body weight/day).

Net Weight:

50 Pounds (22.7 Kilograms)

Manufactured By

A. L. Gilbert Company
Oakdale and Keyes, California

1164813405

8134-05 SHOWTIME PROLIFIC EWE
PELLET~M